
International Journal on Robotics, Automation and Sciences

Review on Development of Digital Twins for Predicting, Mitigating Faults and Defects in Solar Plants

Chockalingam Palanisamy* and Gangadharan Tharumar

Abstract— The concept of digital twins has gained significant attention in recent years due to its potential to transform various industries, including renewable energy. Digital twins involve the creation of virtual models that mirror the behaviour and characteristics of real-world physical systems. In the context of solar plants, digital twins have emerged as a promising tool to enhance performance monitoring, predictive maintenance, and overall operational efficiency. Digital twin engineering, characterized by its dynamic data modelling of industrial assets, offers a disruptive technology capable of adapting to real-time changes in the environment and operations. This living model can predict future infrastructure behaviour and proactively identify potential issues within the physical system. The article highlights the essential components of the digital twin ecosystem, such as sensor technologies, the Industrial Internet of Things, simulation, modelling, and machine learning, underscoring their relevance in predictive maintenance applications. This review provides an in-depth review of the development and application of digital twins for predicting and mitigating faults and defects in solar power plants. It opens with a look at current developments, underlining the rising focus on digital twins for optimizing solar farms. It begins with an overview of existing solutions in the field, highlighting the growing interest in leveraging digital twin technology to enhance solar plant operations. Additionally, the article outlines the implementation stage of a prototype digital twin for a solar power plant.

Keywords— *Predictive Maintenance, Digital Twin, Industry 4.0, IoT, AI.*

I. INTRODUCTION

The concept of a "digital twin" involves the creation of a digital counterpart or representation of a physical entity or system [1]. This digital representation serves various purposes, including simulation, analysis, optimization, and control. Origins (1960s and 1970s), the roots of the digital twin concept can be traced back to the early days of computer-aided design (CAD) systems and the initial efforts to create digital replicas of physical objects, primarily in the aerospace and automotive industries. A significant early application of digital twins occurred during the Apollo missions (1970s), where NASA utilized real-time simulations to replicate the activities of space vehicles. This approach effectively created a ground-based twin of spacecraft, enabling the anticipation and resolution of potential problems [2].

As computing power advanced, Product Lifecycle Management (PLM) (1980s and 1990s) systems emerged. These systems tracked and managed all changes made to a product from its inception to its disposal, laying the foundation for more sophisticated digital twin concepts. The proliferation of IoT (2000s) devices and sensors made real-time data collection from physical objects more feasible. This advancement enabled real-time data to be integrated

*Corresponding Author email: palanisamy.chockalingam@mmu.edu.my ORCID: 0000-0003-1795-8285

Chockalingam Palanisamy is with the Faculty of Engineering and Technology, Multimedia University, Melaka 75450 Malaysia. (e-mail: palanisamy.chockalingam@mmu.edu.my).

Gangadharan Tharumar is with Department of Mechanical Engineering, Sethu Institute of Technology, Pulloor, Kariapatti -626115, Virudunagar District, Tamil Nadu, India. (email: tgangadharan@sethu.ac.in)

International Journal on Robotics, Automation and Sciences (2024) 6, 2:1-5
<https://doi.org/10.33093/ijoras.2024.6.2.1>

Manuscript received: 17 May 2024 | Revised: 22 June 2024 | Accepted: 13 July 2024 |

Published: : 30 Sep 2024

Published by MMU PRESS. URL: <http://journals.mmupress.com/ijoras>

This article is licensed under the Creative Commons BY-NC-ND 4.0 International License



PRESS



into digital models, leading to the development of more dynamic and responsive digital twins [3].

The term "digital twin" gained popularity in the 2010s, notably through General Electric's efforts. Advancements in IoT, cloud computing, data analytics, and AI allowed for the creation of more sophisticated and real-time digital replicas (Late 2010s and 2020s), the initially prominent in industries like aerospace and manufacturing, digital twins have found applications in various sectors, including healthcare, smart cities, energy, and agriculture [4]. They are used for optimizing wind farms, simulating patient physiology, and modelling urban environments, among other uses.

The integration of AI and machine learning algorithms (2020s) has enabled digital twins to predict failures, optimize processes, and even facilitate autonomous decision-making. As we progress through the 2020s, expect to see AR overlays on physical assets, powered by digital twins, providing real-time performance data and maintenance insights [5]. Additionally, federated learning and edge computing are likely to enhance digital twin capabilities by enabling on-site data processing and real-time updates.

The emergence of digital twin technology represents a significant advancement in the energy technology and digitalization domain. The digitalization of energy systems is becoming a key direction in the modern energy landscape, offering promising solutions to evolving energy challenges [6]. While centralized power supply infrastructure is widespread in many regions, some areas, such as remote settlements, still face challenges in accessing consistent power. In such cases, the reliance on fuel transportation for diesel power plants is impractical and unsustainable, necessitating alternative solutions to improve electricity accessibility and reliability.

Solar power plants emerge as an environmentally friendly and sustainable energy solution for these remote areas. However, the construction and operation of solar power plants involve substantial initial investments and ongoing maintenance requirements, presenting financial and logistical challenges. The prospect of simulating solar power plants in advance offers a practical solution to address these challenges, with digital twin technology playing a crucial role [7]. A digital twin serves as a virtual prototype of a physical object or system, capable of conducting experiments, testing hypotheses, and predicting real-world behaviours. It equips stakeholders with the ability to manage the entire life cycle of an object or system, providing significant cost savings and operational efficiency improvements. By using digital twins, precise timing for equipment replacement or repair can be determined, optimizing maintenance efforts.

The application of digital twins in the design and development of solar power plants yields multiple benefits. It facilitates efficient design and development processes and proves invaluable during the operational phase. These digital counterparts, often comprising a Digital Shadow, Digital Model, and a control system, hold the potential to significantly enhance performance monitoring, predictive

maintenance, and fault mitigation [8]. As industrial sectors increasingly seek to maximize equipment uptime and ensure sustainable availability, performance, and output quality, predictive maintenance (PdM) techniques have become instrumental in this pursuit. By harnessing insights from machinery data and identifying patterns that could lead to downtime or failure, PdM empowers maintenance functions to proactively address issues before they escalate [9]. The digital twin ecosystem, consisting of sensor technologies, the Industrial Internet of Things (IIoT), simulation, modeling, and machine learning, plays a pivotal role in supporting PdM applications.

It is essential to differentiate between digital twins and digital simulations. A digital twin comes to life when a virtual model is intricately linked with its physical counterpart. Real-time data from the physical object is used to animate and update its digital twin, enabling a dynamic digital representation of the physical entity throughout its life cycle. In conclusion, the integration of digital twin technology with solar power plants represents a progressive step towards more efficient and sustainable energy solutions. The ability to simulate, predict, and proactively address faults and defects holds the promise of a brighter and more accessible energy future.

II. DIGITAL TWINS: REVOLUTIONIZING INDUSTRY 4.0

In the era of Industry 4.0, the concept of digital twins has emerged as a central element within advanced and high-tech control systems. Digital twins have rapidly found utility across a wide spectrum of industries, including but not limited to oil and gas, engineering, urban planning, and renewable energy. Their integration into energy facilities holds the promise of transforming the design, prediction, and management of intricate systems through the provision of structural modelling and simulation capabilities [10].

Research in the application of digital twins underscores their significance and potential, particularly in the context of solar power facilities. A deeper Look into the Digital Twin Concept The origin of a digital twin raises a fundamental question – how is a digital twin created? Two primary methods have emerged: one involves simultaneously creating a physical product and its digital twin, while the other centers on developing a digital twin for an existing physical asset or process. A critical element in this context is the digital thread, characterized by the utilization of digital tools and representations for design, assessment, and life cycle management. This data-driven architecture interconnects information generated throughout a product's life cycle, driving efficient new product design and optimization [11].

Digital twins take on various forms, categorized by scale as component twins, asset twins, system twins, and process twins. Component twins offer in-depth insights into the performance and deterioration of individual components. Asset twins comprise multiple component twins, providing a comprehensive view of

how these components interact as a whole system. System twins delve into the interactions and performance of multiple asset twins within a larger system. Process twins focus on sets of processes or workflows, often involving multiple system twins [12].

In summary, the concept of digital twins stands as a transformative catalyst within the context of Industry 4.0, with the potential to revolutionize industries and enhance the design, monitoring, and optimization of complex systems. Their applications span various domains, ranging from urban planning to energy facilities, solidifying their position as a cornerstone of the modern technological landscape.

III. REVAMPING PREDICTIVE MAINTENANCE

A modern overview predictive maintenance, a critical facet of contemporary industrial operations, is in a continuous state of evolution, embracing cutting-edge technologies. Enabling early detection and intervention. The outcomes can lead to reduced maintenance costs and prolonged panel lifespans [13].

The forefront of predictive maintenance witness's various architectural innovations and computational techniques aimed at enhancing the reliability and efficiency of maintenance processes. Advanced System Architectures One noteworthy architectural advancement is the Open System Architecture for Condition-Based Maintenance (OSA-CBM), which has gained substantial prominence. This architecture forms the foundation for designing Condition-Based Maintenance (CBM) systems, with a focus on essential functional components. It effectively blurs the lines between CBM and Predictive Maintenance (PdM) when initiating prognostic analysis [14].

Predictive maintenance has also ventured into cloud-based and Maintenance 4.0 architectures. Cloud-based predictive maintenance centers around a cloud computing server, offering a centralized approach to system management. Maintenance 4.0, aligns closely with Industry 4.0 principles, integrating advanced technologies into an intelligent PdM system. A critical distinction exists between single-model and multi-model approaches. Single-model approaches consist of knowledge-based, data-driven, and physics-based models, each rooted in distinct knowledge sources – human experience, acquired data, and the laws of physics, respectively. Multi-model approaches, however, are frequently adopted to tackle complex system challenges, as they offer a more comprehensive solution [14].

IV. DIGITAL TWIN ECOSYSTEM FOR PREDICTIVE MAINTENANCE

Digital twins are exceptionally suited for predictive maintenance due to the inherently predictive nature of PdM challenges. A digital twin represents a system that encompasses IoT-based data acquisition and data analytic models for inferencing and reasoning. These

twins are characterized by their ability to cover an asset's entire life cycle, including predicting its lifetime. The architecture of a digital twin for predictive maintenance combines edge/fog and cloud computing to facilitate data pre-processing and analysis. This approach enables signal-level fusion and feature engineering at the "edge," while conducting model fusion in the cloud to estimate health status and predict Remaining Useful Life (RUL). This hybrid strategy optimizes resource usage and communication efficiency. Furthermore, a digital twin serves as a platform for data management and visualization, providing a 3D representation of the physical asset, if applicable [15].

V. DIGITAL TWINS IN THE ENERGY SECTOR

The adoption of digital twins in the energy sector has been steadily increasing. Researchers have explored the application of digital twins in various energy systems, including power generation, distribution, and consumption. In the realm of solar energy, digital twins offer the promise of addressing critical challenges related to intermittent energy generation, maintenance, and optimization [16].

VI. PERFORMANCE MONITORING AND OPTIMIZATION

One of the primary motivations for employing digital twins in solar plants is to enhance performance monitoring and optimization. By replicating the physical environment of solar panels, digital twins enable real-time analysis of energy production [17]. Many researchers have demonstrated the potential of digital twins to monitor and optimize the performance of solar arrays under varying weather conditions. This approach allows for adjustments to tilt angles, tracking systems, and cleaning schedules to maximize energy yield [18].

VII. ENVIRONMENTAL IMPACT AND SUSTAINABILITY

Digital twins have also been employed to address environmental concerns in solar energy. The ability to model and analyze the environmental impact of solar power plants is crucial for ensuring sustainable operations. Research by Sharma et al. (2022) has explored the use of digital twins to assess the life cycle environmental performance of solar installations, assisting stakeholders in making informed decisions about their environmental footprint [19].

VIII. INTEGRATION WITH IOT AND AI

The integration of digital twins with the Internet of Things (IoT) and artificial intelligence (AI) technologies is a recurring theme in the literature. Combining IoT sensors for data collection with AI algorithms for data analysis strengthens the capabilities of digital twins. This integrated approach enables solar plant operators to respond in real-time to changing conditions, as exemplified in studies like the one conducted by Rasheed et al., 2019 [20].

IX. DIGITAL TWINS IMPLEMENTATION ISSUES

Implementation issues including technical, operational, and organizational challenges. Some of the potential issues while implementations are:

Data Quality and Availability issues: Digital twins rely heavily on real-time data from sensors and monitoring systems. Poor data quality or insufficient data availability can compromise the accuracy and effectiveness of the digital twin model [21]. **Model Complexity and Scalability Issues:** Developing and maintaining complex digital twin models for large-scale solar plants can be challenging. As the size of the plant increases, the complexity of the model and computational requirements also increases [22]. **Integration with Existing Systems Issues:** Integrating digital twins with existing control and monitoring systems in solar plants can be complex, especially if legacy systems or proprietary software are in use [23].

X. CHALLENGES AND FUTURE DIRECTIONS

While the potential benefits are evident, the literature also acknowledges challenges in implementing digital twins for solar plants. These challenges encompass data integration complexities, the need for skilled personnel, and the high initial costs. However, researchers emphasize the importance of addressing these challenges to fully unlock the potential of digital twins for the solar energy sector.

CONCLUSION

In summary, the concept of a digital twin represents a methodology rather than a ready-made technological solution, offering a flexible ecosystem that seamlessly integrates computational algorithms, models, and hardware components like sensors, communication devices, and computing resources. This ecosystem is purposefully designed to gather and process data, mimicking the real-world physical counterpart while projecting its future states. When it comprehensively covers an asset's entire life cycle, it earns the classification of a digital twin.

The digital twin ecosystem has the potential to tackle the challenges inherent in modern Predictive Maintenance (PdM) systems. It excels at managing interactions between multiple digital twins, making it well-suited for addressing the complexities of systems with numerous components. Its multi-model fusion capability equips it to handle uncertainties arising from diverse data sources effectively. Furthermore, a digital twin can adapt to varying operational contexts influenced by external data, significantly enhancing the accuracy and reliability of its predictions. Nevertheless, ongoing research remains pivotal in continually refining and expanding the capabilities of digital twins.

Several prominent electronics companies are teaming up with solar energy firms to incorporate digital twin technology into extensive solar power installations (e.g., Siemens™ and Southern Company™ in the USA). In these partnerships, they utilize digital twin technology to establish virtual

replicas of solar energy plants, seamlessly integrating live data sourced from sensors and monitoring systems. These digital twins conduct continuous analysis of operational data, monitoring factors like temperature and equipment performance to ensure the ongoing evaluation and efficiency of the solar power infrastructure [24].

In conclusion, the existing body of literature underscores the significant potential of digital twins in substantially enhancing the performance and maintenance of solar power plants. These digital replicas offer effective solutions to critical challenges, including intermittent energy generation, predictive maintenance, and sustainability. Furthermore, they open up possibilities for seamless integration with IoT and AI technologies. As research in this field continues to evolve, it becomes imperative to overcome challenges and drive forward the adoption of digital twins within the solar energy sector.

ACKNOWLEDGMENT

This review work did not receive any funding from support agencies. The authors would like to express gratitude to the Research Management Center and MMU Press, Multimedia University, for their moral support.

AUTHOR CONTRIBUTIONS

Chockalingam Palanisamy: Conceptualization, Data Curation, Methodology, Validation, Writing – Original Draft Preparation;

Chockalingam Palanisamy: Project Administration, Supervision, Writing – Review & Editing.

CONFLICT OF INTERESTS

No conflict of interests were disclosed.

ETHICS STATEMENTS

Our research work follows The Committee of Publication Ethics (COPE) guideline. <https://publicationethics.org>.

REFERENCES

- [1] M. Liu, S. Fang, H. Dong and C. Xu, "Review of digital twin about concepts, technologies, and industrial applications," *Journal of Manufacturing Systems*, vol. 58, no. B, pp. 346–361, 2021.
DOI: <http://dx.doi.org/10.1016/j.jmsy.2020.06.017>
- [2] E. H. Glaessgen and D.S. Stargel, "The Digital Twin Paradigm for Future NASA and U.S. Air Force Vehicles," *53rd Structures, Structural Dynamics and Materials Conference*, pp. 1-14, 2012.
DOI: <https://doi.org/10.2514/6.2012-1818>
- [3] W. Hu, T. Zhang, X. Deng, Z. Liu and J. Tan, "Digital twin: A state-of-the-art review of its enabling technologies, applications and challenges," *Journal of Intelligent Manufacturing and Special Equipment*, vol. 2, no. 1, pp. 1-34, 2021.
DOI: <http://dx.doi.org/10.1108/JIMSE-12-2020-010>
- [4] X. Liu, D. Jiang, B. Tao, F. Xiang, G. Jiang, Y. Sun, J. Kong, and G. Li, "A systematic review of digital twin about physical entities, virtual models, twin data, and applications,"

- Advanced Engineering Informatics*, vol. 55, pp. 101876, 2023.
DOI: <http://dx.doi.org/10.1016/j.aei.2023.101876>
- [5] F. Akbari, "Intelligent digital twins and augmented reality in inspection and maintenance," *Abu Dhabi International Petroleum Exhibition and Conference*, pp. D011S022R001, 2021.
DOI: <https://doi.org/10.2118/207659-MS>
- [6] T. Ahmad, D. Zhang, C. Huang, H. Zhang, N. Dai, Y. Song and H. Chen, "Artificial intelligence in sustainable energy industry: Status Quo, challenges and opportunities," *Journal of Cleaner Production*, vol. 289, pp. 125834, 2021.
DOI: <https://doi.org/10.1016/j.jclepro.2021.125834>
- [7] C. Ghenai, L. A. Husein, M. Al Nahlawi, A. K. Hamid and M. Bettayeb, "Recent trends of digital twin technologies in the energy sector: A comprehensive review," *Sustainable Energy Technologies and Assessments*, vol. 54, pp. 102837, 2022.
DOI: <https://doi.org/10.1016/j.seta.2022.102837>
- [8] S. Mihai, M. Yaqoob, D. V. Hung, W. Davis, P. Towakel, M. Raza, M. Karamanoglu, B. Barn, D. Shetve, R. V. Prasad, H. Venkataraman, R. Trestian and H. X. Nguyen, "Digital twins: A survey on enabling technologies, challenges, trends and future prospects," *IEEE Communications Surveys & Tutorials*, vol. 24, no. 4, pp. 2255-2291, 2022.
DOI: <http://dx.doi.org/10.1109/COMST.2022.3208773>
- [9] A. Ucar, M. Karakose and N. Kırımca, "Artificial intelligence for predictive maintenance applications: key components, trustworthiness, and future trends," *Applied Sciences*, vol. 14, no. 2, pp. 898, 2024.
DOI: <https://doi.org/10.3390/app14020898>
- [10] R. Wagner, B. Schleich, B. Haefner, A. Kuhnle, S. Wartzack and G. Lanza, "Challenges and potentials of digital twins and industry 4.0 in product design and production for high performance products," *Procedia CIRP*, vol. 84, pp. 88-93, 2019.
DOI: <http://dx.doi.org/10.1016/j.procir.2019.04.219>
- [11] L. Wang, Z. Liu, A. Liu and F. Tao, "Artificial intelligence in product lifecycle management," *International Journal of Advanced Manufacturing Technology*, vol. 114, pp. 771-796, 2021.
DOI: <http://dx.doi.org/10.1007/s00170-021-06882-1>
- [12] D. Preuveneers, W. Joosen and E. Ilie-Zudor, "Robust digital twin compositions for industry 4.0 smart manufacturing systems," *2018 IEEE 22nd International Enterprise Distributed Object Computing Workshop*, pp. 69-78, 2018.
DOI: <https://doi.org/10.1109/EDOCW.2018.00021>
- [13] R. Sharma and S. Gurung, "Implementing Big Data Analytics and Machine Learning for Predictive Maintenance in Manufacturing Facilities in South Korea," *AI, IoT and the Fourth Industrial Revolution Review*, vol. 14, no. 2, pp. 1-17, 2024. URL: <https://scicadence.com/index.php/AI-IoT-REVIEW/article/download/36/34/64> (accessed May 10, 2024)
- [14] A. Hadjadji, S. Sattarpanah Karganroudi, N. Barka, and S. Echchakoui, "Advances in Smart Maintenance for Sustainable Manufacturing in Industry 4.0," in *Sustainable Manufacturing in Industry 4.0: Pathway Practices*, pp. 97-123. Singapore: Springer Nature Singapore, 2023.
DOI: http://dx.doi.org/10.1007/978-981-19-7218-8_6
- [15] H. Jiang, S. Qin, J. Fu, J. Zhang and G. Ding, "How to model and implement connections between physical and virtual models for digital twin application," *Journal of Manufacturing Systems*, vol. 58, pp. 36-51, 2021. DOI: <https://doi.org/10.1016/j.jmsy.2020.05.012>
- [16] A. Hamdan, K. I. Ibekwe, V. I. Ilojiyanya, S. Sonko and E. A. Etukudoh, "AI in renewable energy: A review of predictive maintenance and energy optimization," *International Journal of Science and Research Archives*, vol. 11, no. 1, pp. 718-729, 2024.
DOI: <https://doi.org/10.30574/ijrsra.2024.11.1.0112>
- [17] S. Agostinelli, F. Cumo, G. Guidi and C. Tomazzoli, "Cyber-physical systems improving building energy management Digital twin and artificial intelligence," *Energies*, vol. 14, no. 8, pp. 2338, 2021.
DOI: <https://doi.org/10.3390/en14082338>
- [18] S. I. Kaitouni, I. A. Abdelmoula, N. Es-sakali, M. O. Mghazi, H. Er-retby, Z. Zoubir and J. Brigui, "Implementing a Digital Twin-based fault detection and diagnosis approach for optimal operation and maintenance of urban distributed solar photovoltaics," *Renewable Energy Focus*, vol. 48, pp. 100530, 2024.
DOI: <https://doi.org/10.1016/j.ref.2023.100530>
- [19] A. Sharma, E. Kosasih, J. Zhang, A. Brintrup and A. Calinescu, "Digital twins: State of the art theory and practice, challenges, and open research questions," *Journal of Industrial Information Integration*, vol. 30, pp. 100383, 2022.
DOI: <https://doi.org/10.1016/j.jii.2022.100383>
- [20] A. Rasheed, O. San and T. Kvamsdal, "Digital twin: Values, challenges and enablers from a modeling perspective," *IEEE Access*, vol. 8, pp. 21980-22012, 2020.
DOI: <https://doi.org/10.1109/ACCESS.2020.2970143>
- [21] C. Human, A. H. Basson and K. Kruger, "A design framework for a system of digital twins and services," *Computers in Industry*, vol. 144, pp. 103796, 2023.
DOI: <http://dx.doi.org/10.1016/j.compind.2022.103796>
- [22] S. Y. Teng, M. Touš, W. D. Leong, B. S. How, H. L. Lam and V. Máša, "Recent advances on industrial data-driven energy savings: Digital twins and infrastructures," *Renewable and Sustainable Energy Review*, vol. 135, pp. 110208, 2021.
DOI: <https://doi.org/10.1016/j.rser.2020.110208>
- [23] P. O. Hristov, D. Petrova-Antonova, S. Ilieva and R. Rizov, "Enabling city digital twins through urban living labs," *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, vol. 43, pp. 151-156, 2022.
DOI: <http://dx.doi.org/10.5194/isprs-archives-XLIII-B1-2022-151-2022>
- [24] A. G. Abo-Khalil, "Digital twin real-time hybrid simulation platform for power system stability," *Case Studies in Thermal Engineering*, vol. 49, pp. 103237, 2023.
DOI: <https://doi.org/10.1016/j.csite.2023.103237>